

# APPLICATION FOR SITE PLAN APPROVAL

353 North 120th Avenue · Holland, MI 49424 · Phone: 616.395.0151 · www.hct.holland.mi.us

### ***Applicant Information***

Contact Name \_\_\_\_\_  
Address \_\_\_\_\_  
\_\_\_\_\_

Company \_\_\_\_\_  
Phone \_\_\_\_\_  
Email \_\_\_\_\_

### ***Owner Information***

Contact Name \_\_\_\_\_  
Address \_\_\_\_\_  
\_\_\_\_\_

Company \_\_\_\_\_  
Phone \_\_\_\_\_  
Email \_\_\_\_\_

### ***Plan Preparer Information***

Contact Name \_\_\_\_\_  
Address \_\_\_\_\_  
\_\_\_\_\_

Company \_\_\_\_\_  
Phone \_\_\_\_\_  
Email \_\_\_\_\_

### ***Property Information***

Address or Location \_\_\_\_\_  
Parcel Number 70 - 16 - \_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_ Zoning District \_\_\_\_\_  
Present Use(s) \_\_\_\_\_

### ***Description of Proposed Use – (attach additional pages as needed)***

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Requesting Planning Commission Review: Yes  No  (Note: Zoning Administrator may refer to the Planning Commission)

A site plan review fee of \$100 shall be submitted with the required two (2) site plans. If a special meeting is requested before the Planning Commission, an additional fee of \$600 shall be submitted with eleven (11) complete copies of: this form and the site plan including an electronic copy of the site plan on CD or other file sharing device. The copies must be submitted to the Community Development Department no later than the deadline indicated on the Planning Commission's Notice of Regular Meetings. The applicant or its representative must be present at the meeting in order to receive consideration.

I, the undersigned, do hereby certify that the site plan(s) attached hereto have been completed according to all ordinance requirements. I do further understand that if my site plan is not complete or if I fail to attend the meeting, the Planning Commission, at its discretion, may table the decision until a later date.

Emily Engelhart  
Signature of Applicant \_\_\_\_\_ Date \_\_\_\_\_

See attached Letters  
Signature of Owner \_\_\_\_\_ Date \_\_\_\_\_

**DO NOT WRITE BELOW THIS LINE**

Date Received \_\_\_\_\_ Amount of Fee Paid \$ \_\_\_\_\_ Check No. \_\_\_\_\_

Application Accepted by \_\_\_\_\_

Mr. Corey Broersma  
Community Development  
353 North 120<sup>th</sup> Avenue  
Holland, MI 49424  
(616) 395-0151

February 28, 2025

RE: Application for Site Plan Review – Redwood Living  
Project Narrative

Dear Mr. Broersma,

This Application for Site Plan Review is made for the development of three parcels of real property located within the Township, which are known as Tax Parcel Number 70-16-09-100-024, 70-16-09-100-023, 70-16-09-100-025, consisting of approximately 19.99 acres on Quincy Street (collectively the "Property"), as more fully described in the Application and its attachments. The Property was most recently used as a single-family residence and vacant land.

Redwood proposes to develop the Property into approximately 108 distinctive single-story single-family attached or townhouse homes, each offering both one bedroom / one bathroom units and two bedroom / two bathroom units each with its own attached garage (the "Project"). The Project will utilize the high design and architectural standards typical of Redwood Neighborhoods while keeping its own branding and unique identity. Redwood has successfully developed similar projects in nearby communities including a Redwood Neighborhood directly south of the Property in Holland Township as well as in Zeeland Township and Cascade Township.

## Redwood Neighborhood

Redwood Neighborhoods are not age-restricted and comply with all Fair Housing practices, however, they are designed to appeal to the empty-nester, active adult community, with attached garages, no stairs, and with compliant ADA accessibility features. Redwood prides itself on creating a community of peace, quiet, and comfort for its residents by (i) constructing a carefully planned neighborhood; (ii) providing resident driven amenities; (iii) closely managing its neighborhoods with onsite personnel; and, (iv) adhering to strict rental standards. Redwood strictly adheres to all Fair Housing-required rental practices.

With a maintenance-free lifestyle and single-story design, Redwood neighborhoods provide the Township an opportunity to allow its current residents to age in place while remaining invested in familiar businesses, health care providers, and friend and family networks. Our Neighborhoods are often seen as a solution for missing middle-housing and they can provide housing filtration opportunities for people who might prefer to move out from the maintenance/costs/of a single-family home. Overall, a Redwood Neighborhood will provide more diverse housing options in the Township

for renters-by-choice. The success of our current Phase 1 neighborhood proves the continued demand for Redwood's product and the strength of the Holland Township market.

## Zoning Ordinance Design Requirements

Site specific design characteristics include the following:

1. Lot Area – 19.55 acres less public R.O.W. Required lot area based on 108 units = 9.0 acres.
2. Low Width – 80 Feet Required, 655 feet is provided along Quincy Street.
3. Building Setbacks Required and Proposed:
  - a. Front: 35-ft Required, 62-ft Proposed
  - b. Side: 20-ft Required, 31.8-ft Proposed
  - c. Rear: 25-ft Required, 247.0-ft Proposed
4. Lot Coverage – 50% Allowed, 21.1% Proposed.
5. Floor Area:
  - a. 720 sf for 1-bedroom required, 896 sf provided.
  - b. 870 sf for 2-bedroom required, Minimum 1,200 sf provided.
6. Storage Area per Unit Type, 120 sf Required per unit:
  - a. Dogwood (1-Bedroom) = 166.5 sf
  - b. Forestwood = 187.7 sf
  - c. Meadowdood = 212.8 sf
  - d. Capewood = 212.8 sf
  - e. Forestwood Extended Garage = 203.8 sf
  - f. Meadowood Extended Garage = 229.1 sf
  - g. Capewood Extended Garage = 229.1 sf
  - h. Haydenwood = 149.1 sf
  - i. Willowood = 193.5 sf
7. Building height – Redwood proposes a maximum 13-ft tall building where the R-3 zoning district allows up to 60-ft.
8. Density limitation – The proposed density is 5.52 units per acre where the allowed density in the R-3 district is 12 units per acre.
9. Parking:
  - a. Required Two (2) spaces per unit plus one (1) guest parking per two (2) units
  - b. Required =  $108 \text{ units} * 2 \text{ spaces} + (108 \text{ units} * 1 \text{ space} / 2 \text{ units}) = 270 \text{ spaces required}$
  - c. Provided =  $4 \text{ spaces per unit} * 108 \text{ units} = 432 \text{ unit spaces}$
  - d. Guest Parking Provided = 19 spaces
  - e. Total spaces provided =  $432 + 19 = 451 \text{ spaces provided}$
  - f. Provided 40 extended garage spaces (within the overall 432 spaces) the extended garage units provide a larger interior parking space for residents with larger vehicles.

10. Single Entity – The Property will be developed as a single phase and will be owned by a single entity.

## Site Design / Amenities

Phase 1 of Redwood is located immediately south of this proposed development. Phase 2 offers a few new features in that were not available when Phase 1 was approved and constructed. Phase 2 will include multiple new floorplans offering of extended garage units on the Forestwood, Meadowood, and Capewood Units, a one-bedroom (Dogwood) floorplan, a Haydenwood unit which features . The extended garage unit provides an additional 4-ft of depth in the garage to allow for larger vehicles to park within the garage. The current plan proposes a total of 40 extended garage units. The Haydenwood unit offers a “front-door” elevation facing Quincy Street. To maintain consistency with phase 1, a 5-foot-wide tree lawn is included along the road section as an aesthetic amenity.

The proposed site plan for Phase 1 includes approximately 4,200 feet of sidewalk with connections to the existing asphalt pathway along Quincy Street, phase 1 of the Redwood property (providing additional connectivity to Authentix, Greenly Street, and the adjacent commercial shopping centers south of Greenly, as well as a proposed pedestrian connection point to the western property line. Included in the total sidewalk length is a pathway along the southern boundary of the drainage ditch to allow for passive recreation and open space. A pergola is included overlooking the pond which acts as a stormwater detention basin. Other amenities that are proposed include bike racks, picnic tables, a pollinator garden, pond fountains, enhanced landscaping, and a little free library. Redwood has found that our residents, within our 20,000 units, enjoy these types of passive amenities and value pedestrian connectivity very highly.

Elements specific to the Property include regulated wetlands at the southeast end of the site as well as within the drainage ditch. The existing drainage ditch conveys water from upstream properties and continues along west and south offsite. Due to this wetland, we are not proposing landscaping to eliminate impacts to the wetlands. In addition the adjacent property is heavily vegetated and any vegetation within the wetlands will be protected and remain. We have coordinated with the Ottawa County Road Commission and they have indicated a center turn lane will be required, this is included on our plans.

## Estimated Project Timeline

- April – May 2025: Preliminary Site Plan Approval
- June 2025: Engineering Design. Submittals to reviewing agencies
- December 2025: Anticipated approvals from reviewing agencies
- March 2026: Commence sitework construction
- June 2026: Commence vertical (building) construction
- June 2028: Obtain final Certificate of Occupancy and Project closeout



# DEVELOPMENT PLANS FOR PROPOSED

# REDWOOD LIVING

## MULTI-FAMILY RESIDENTIAL DEVELOPMENT

### QUINCY STREET

### HOLLAND TOWNSHIP, MICHIGAN

**PROJECT CONTACTS**

**CIVIL ENGINEER**  
**COLLIERS ENGINEERING AND DESIGN**  
 7050 W SAGINAW HWY  
 LANSING, MI 48917  
 IAN GRAHAM, P.E.  
 (517) 827-8681

**OWNER**  
**REDWOOD LIVING**  
 7007 EAST PLEASANT VALLEY ROAD  
 INDEPENDENCE, OH 44131  
 EMILY ENGELHART  
 (216) 401-6885


**UTILITY AND JURISDICTIONAL CONTACTS**

**PLANNING AND ZONING**  
**HOLLAND TOWNSHIP**  
 353 NORTH 120TH AVENUE  
 HOLLAND, MI 49424  
 COREY BROERSMA  
 (616) 395-0151


**WATER AND SANITARY SEWER**  
**HOLLAND TOWNSHIP**  
 353 NORTH 120TH AVENUE  
 AARON NYBOER  
 (616) 395-0078

**STORM WATER AND SOIL EROSION AND SEDIMENTATION**  
**OTTAWA COUNTY WATER RESOURCES COMMISSIONER**  
 12220 FILLMORE STREET  
 WEST OLIVE, MI 49460  
 (616) 994-4530

**ROADS & ENTRANCE**  
**OTTAWA COUNTY ROAD COMMISSION**  
 14110 LAKESHORE DRIVE  
 GRAND HAVEN, MI 49417  
 JOHN GUTIERREZ, PE  
 (616) 842-5400



**SITE LOCATION MAP**  
NOT TO SCALE




SHEET INDEX		
Included	Sheet Number	Sheet Title
•	C000	COVER SHEET
•	X100	ALTA NSPS LAND TITLE SURVEY
•	X101	ALTA NSPS LAND TITLE SURVEY
•	C050	DEMOLITION PLAN
•	C200	OVERALL SITE PLAN
•	C201	NORTH SITE PLAN
•	C202	SOUTH SITE PLAN
•	C300	NORTH GRADING PLAN
•	C301	SOUTH GRADING PLAN
•	C310	DRAINAGE AREA MAP
•	C400	PRELIMINARY UTILITY PLAN
•	C700	SITE DETAILS
•	L1.0	OVERALL SITE PLAN
•	L1.1	PLANTING ENLARGEMENTS
•	L1.2	TYPICAL BUILDING FOUNDATION PLANTINGS
•	L1.3	TYPICAL BUILDING FOUNDATION PLANTINGS
•	L1.4	TYPICAL BUILDING FOUNDATION PLANTINGS
•	A1.1	BUILDING FLOOR PLAN AND ELEVATIONS
•	A1.2	BUILDING FLOOR PLAN AND ELEVATIONS
•	A1.3	BUILDING FLOOR PLAN AND ELEVATIONS
•	A1.4	BUILDING FLOOR PLAN AND ELEVATIONS
•	A1.5	BUILDING FLOOR PLAN AND ELEVATIONS
•	A1.6	BUILDING FLOOR PLAN AND ELEVATIONS
•	A1.7	BUILDING FLOOR PLAN AND ELEVATIONS
•	PSK01	PRELIMINARY ONE BED LAYOUT
•	PSK02a	PRELIMINARY ONE BED LAYOUT EXTERIOR ELEVATIONS

www.colliersengineering.com  
 Copyright © 2025. Colliers Engineering & Design All Rights Reserved. This drawing and all the information contained herein is authorized for use only by the party for whom the services were contracted or to whom it is certified. This drawing may not be copied, reused, disclosed, distributed or relied upon for any other purpose without the express written consent of Colliers Engineering & Design.

Formerly Known as BERGMANN

PROTECT YOURSELF  
 ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE  
 FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

REV	DATE	DRAWN BY	DESCRIPTION
1	02/19/25	ICG	SITE PLAN REVIEW



7007 EAST PLEASANT VALLEY ROAD  
 INDEPENDENCE, OH 44131

QUINCY STREET  
 HOLLAND TOWNSHIP  
 OTTAWA COUNTY  
 MICHIGAN

LANSING (BA)  
 7050 West Saginaw Hwy.  
 Suite 200  
 Lansing, MI 48917  
 Phone: 517.272.9835  
 COLLIER'S ENGINEERING & DESIGN  
 ARCHITECTURE, LANDSCAPE ARCHITECTURE, SURVEYING CT., P.C.


SCALE: AS SHOWN	DATE: 2/28/2025	DRAWN BY: JCK	CHECKED BY: ICG
PROJECT NUMBER: 24011558	DRAWING NAME: C000 COVER SHEET		

SHEET TITLE:  
**COVER SHEET**

SHEET NUMBER:  
**C000**

I:\SRM\02\04\1 Civil\BOTH\RES\CONSTRUCTION\2025\C000\02\04\1558\02\04\1558\_C000\_SHEET.dwg (2/28/2025) ICG





**SITE DATA:**

**PARCELS:** 70-16-09-100-023, 70-16-09-100-024, 70-16-09-100-025

**ZONING:** R-3 - HIGH DENSITY RESIDENTIAL  
AG - AGRICULTURAL DISTRICT  
R-3 - HIGH DENSITY RESIDENTIAL  
AG - AGRICULTURAL DISTRICT  
C-2 - COMMUNITY COMMERCIAL

**LOT AREA:** 19.99 ACRES  
15 ACRES LESS R.O.W.  
9.6 ACRES REQUIRED (108 UNITS \* 3,630 SF)

**LOT WIDTH:** 80 FEET REQUIRED  
655 FEET PROPOSED

**SETBACKS:** 35' FRONT  
20' SIDE  
25' REAR

**LOT COVERAGE:** 50% ALLOWED  
21.1% PROPOSED

**BUILDING HEIGHT:** MAXIMUM 60 FEET  
PROPOSED 13 FEET, 1 STORY

**UNIT DENSITY:** 5.52 UNITS PER ACRE PROPOSED  
12 UNITS PER ACRE ALLOWED

**UNIT BREAKDOWN:** 25 - FORESTWOOD UNITS (23%)  
28 - FORESTWOOD EXT GRG UNITS (26%)  
7 - MEADOWWOOD UNITS (2%)  
8 - MEADOWWOOD EXT GRG UNITS (7%)  
7 - CAPEWOOD UNITS (5%)  
4 - CAPEWOOD EXT GRG UNITS (4%)  
4 - WILLOWOOD INTERIOR (4%)  
4 - WILLOWOOD EXTERIOR (4%)  
8 - HAYDENWOOD INTERIOR (7%)  
8 - HAYDENWOOD EXTERIOR (7%)  
10 - DOGWOOD UNITS (9%)  
108 TOTAL UNITS

**PARKING:** 13 STANDARD  
4 ACCESSIBLE  
17 TOTAL GUEST PARKING SPACES

**DRIVE AISLE SECTION:** 26' WIDE  
5' GREENBELT  
4' SIDEWALK

**WASTE MANAGEMENT:** TRASH WILL BE COLLECTED VIA CURB-SIDE RECEPTACLES AT EACH UNIT. TRASH COLLECTION WILL BE A PRIVATE ENTITY.



**SITE LIGHTING:** NO ON-STREET LIGHTING IS PROPOSED. LIGHTING IS SOLAR-POWERED AND MOUNTED ON BUILDING PORCHES.

**GENERAL NOTES:**

- THE UNDERGROUND STRUCTURES AND UTILITIES SHOWN ON THESE PLANS HAVE BEEN PLOTTED FROM AVAILABLE SURVEYS AND RECORD MAPS. THEY ARE NOT CERTIFIED TO THE ACCURACY OF THEIR LOCATION AND/OR COMPLETENESS. IT IS THE CONTRACTOR'S RESPONSIBILITY TO VERIFY THE LOCATION AND EXTENT OF ALL UNDERGROUND STRUCTURES AND UTILITIES PRIOR TO ANY DIGGING OR CONSTRUCTION ACTIVITIES IN THEIR VICINITY.
- THE CONTRACTOR SHALL PERFORM ALL WORK IN COMPLIANCE WITH TITLE 29 OF FEDERAL REGULATIONS, PART 1926, SAFETY AND HEALTH REGULATIONS FOR CONSTRUCTION (OSHA).
- ALL ROADS AND PRIVATE DRIVES SHALL BE KEPT CLEAN OF MUD, DEBRIS ETC. AT ALL TIMES.
- REFER TO ARCHITECTURAL DRAWINGS FOR PRECISE BUILDING DIMENSIONS.
- THE CONTRACTOR SHALL CONSULT THE CONSTRUCTION MANAGER BEFORE DEVIATING FROM THESE PLANS.
- IN ALL TRENCH EXCAVATIONS, CONTRACTOR MUST LAY THE TRENCH SIDE SLOPES BACK TO A SAFE SLOPE, USE A TRENCH SHIELD OR PROVIDE SHEETING AND BRACING.
- ALL EXISTING SURFACE APPURTENANCES (I.E. WATER VALVES, CATCH BASIN FRAMES AND GRATES, MANHOLE COVERS) WITHIN THE PROJECT LIMITS SHALL BE ADJUSTED TO FINISHED GRADE.
- AREAS DISTURBED OR DAMAGED AS PART OF THIS PROJECT'S CONSTRUCTION THAT ARE OUTSIDE OF THE PRIMARY WORK AREA SHALL BE RESTORED AT THE CONTRACTOR'S EXPENSE, TO THE SATISFACTION OF THE OWNER'S REPRESENTATIVE.
- THE CONTRACTOR SHALL CALL "MISS DIG" AT LEAST 3 WORKING DAYS (EXCLUDING WEEKENDS AND HOLIDAYS) PRIOR TO CONSTRUCTION.
- ALL WORK SHALL BE DONE IN ACCORDANCE WITH THE APPLICABLE CODES, ORDINANCES, DESIGN STANDARDS AND STANDARD SPECIFICATIONS OF THE AGENCIES WHICH HAVE THE RESPONSIBILITY OF REVIEWING PLANS AND SPECIFICATIONS FOR CONSTRUCTION OF ALL ITEMS INCLUDED IN THESE PLANS.
- UNLESS SPECIFICALLY STATED, THE CONTRACTOR SHALL APPLY FOR AND OBTAIN ALL NECESSARY PERMITS AS REQUIRED FOR CONSTRUCTION OF THIS PROJECT PRIOR TO THE BEGINNING OF WORK FROM THE PREVIOUSLY MENTIONED AGENCIES.
- THE CONTRACTOR WILL BE REQUIRED TO ASSUME SOLE RESPONSIBILITY FOR JOB SITE CONDITIONS DURING THE COURSE OF CONSTRUCTION OF THE PROJECT, INCLUDING THE SAFETY OF ALL PERSONS AND PROPERTY. THIS REQUIREMENT SHALL BE MADE TO APPLY CONTINUOUSLY AND NOT BE LIMITED TO NORMAL WORKING HOURS.
- WHEN ANY EXISTING UTILITY REQUIRES ADJUSTMENT OR RELOCATION, THE CONTRACTOR SHALL NOTIFY THE PROPER UTILITY COMPANY AND COORDINATE THE WORK ACCORDINGLY. THERE SHALL BE NO CLAIM MADE BY THE CONTRACTOR FOR ANY COSTS CAUSED BY DELAYS IN CONSTRUCTION DUE TO THE ADJUSTMENT OR RELOCATION OF UTILITIES.
- THE CONTRACTOR IS TO VERIFY THAT THE PLANS AND SPECIFICATIONS THAT HE/SHE IS BUILDING FROM ARE THE VERY LATEST PLANS AND SPECIFICATIONS THAT HAVE BEEN APPROVED BY ALL APPLICABLE PERMIT-ISSUING AGENCIES AND THE OWNER. ALL ITEMS CONSTRUCTED BY THE CONTRACTOR PRIOR TO RECEIVING THE FINAL APPROVAL AND PERMITS HAVING TO BE ADJUSTED OR RE-DONE, SHALL BE DONE AT THE CONTRACTOR'S EXPENSE.
- SHOULD THE CONTRACTOR ENCOUNTER CONFLICT BETWEEN THESE PLANS AND SPECIFICATIONS, EITHER AMONG THEMSELVES OR WITH THE REQUIREMENTS OF ANY AND ALL REVIEWING AND PERMIT-ISSUING AGENCIES, HE/SHE SHALL SEEK CLARIFICATION IN WRITING FROM THE CONSTRUCTION MANAGER BEFORE COMMENCEMENT OF CONSTRUCTION. FAILURE TO DO SO SHALL BE AT THE SOLE EXPENSE TO THE CONTRACTOR.
- THE CONTRACTOR SHALL FURNISH AS-BUILT DRAWINGS INDICATING ALL CHANGES AND DEVIATIONS FROM APPROVED DRAWINGS.
- ALL SIGNS AND TRAFFIC CONTROL MEASURES DURING CONSTRUCTION AND MAINTENANCE ACTIVITIES SHALL BE CONSTRUCTED AND INSTALLED PER THE LATEST EDITION OF THE MICHIGAN MANUAL OF UNIFORM TRAFFIC CONTROL DEVICES (M.M.U.T.C.D.).
- ALL WORK WITHIN THE PUBLIC RIGHT OF WAY SHALL CONFORM TO THE STANDARDS OF THE OTTAWA COUNTY ROAD COMMISSION.

**SITE LEGEND:**

- PROPERTY SETBACK LINE
- PROPERTY LINE
- (A) KEY NOTE
- (B) BUILDING IDENTIFICATION
- [Pattern] CONCRETE PAVEMENT SECTION
- [Pattern] HMA STANDARD PAVEMENT SECTION
- [Pattern] HMA MILL AND OVERLAY PAVEMENT SECTION



**Colliers**  
Engineering & Design  
www.colliersengineering.com  
Copyright © 2025, Colliers Engineering & Design All Rights Reserved. This drawing and all the information contained herein is authorized for use only by the party for whom the services were contracted or to whom it is certified. This drawing may not be copied, reused, disclosed, distributed or relied upon for any other purpose without the express written consent of Colliers Engineering & Design.

Formerly Known as **BERGMANN**  
**811** PROTECT YOURSELF  
ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE.  
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

REV	DATE	DRAWN BY	DESCRIPTION
1	02/28/25	ICG	SITE PLAN REVIEW

**Redwood**  
APARTMENT NEIGHBORHOODS  
7007 EAST PLEASANT VALLEY ROAD  
INDEPENDENCE, OH 44131

QUINCY STREET  
HOLLAND TOWNSHIP  
OTTAWA COUNTY  
MICHIGAN


**Colliers**  
Engineering & Design  
LANSING (BA)  
7050 West Saginaw Hwy., Suite 200  
Lansing, MI 48917  
Phone: 517.272.9835  
COLLIERS ENGINEERING & DESIGN  
ARCHITECTURAL, LANDSCAPE ARCHITECTURE, SURVEYING CT., P.C.

SCALE: AS SHOWN	DATE: 2/28/2025	DRAWN BY: JCK	CHECKED BY: ICG
PROJECT NUMBER: 24011558	DRAWING NAME: C200 OVERALL SITE PLAN		

SHEET TITLE: **OVERALL SITE PLAN**

SHEET NUMBER: **C200**





**SITE LEGEND:**

- PROPERTY SETBACK LINE
- PROPERTY LINE
- (A) KEY NOTE
- (B) BUILDING IDENTIFICATION
- [Pattern] CONCRETE PAVEMENT SECTION
- [Pattern] HMA STANDARD PAVEMENT SECTION
- [Pattern] HMA MILL AND OVERLAY PAVEMENT SECTION

**KEY NOTES:**

- A. STANDARD PAVEMENT SECTION
- B. MAIL KIOSK
- C. STORMWATER DETENTION BASIN
- D. ADA STRIPING AND SIGNAGE (TYP.)
- E. AT-GRADE, NON-STRUCTURAL PATIO/PORCH (TYP.)
- F. PERGOLA
- G. REGULATED WETLANDS
- H. NOT USED
- I. STANDARD 16'X25' DRIVEWAY (TYP.)

**Colliers**  
Engineering & Design  
www.colliersengineering.com  
Copyright © 2025. Colliers Engineering & Design All Rights Reserved. This drawing and all the information contained herein is authorized for use only by the party for whom the services were rendered or to whom it is certified. This drawing may not be copied, reused, disclosed, distributed or relied upon for any other purpose without the express written consent of Colliers Engineering & Design.

Formerly Known as **BERGMANN**

**811**  
PROTECT YOURSELF  
ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE  
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

REV.	DATE	DRAWN BY	DESCRIPTION
1	02/28/25	ICG	SITE PLAN REVIEW

FARM AND FLEET OF JANESVILLE INC.  
2940 WEST SHORE DRIVE  
HOLLAND, MI 49424  
P/N: 70-16-09-100-027  
ZONING: C2, COMMUNITY COMMERCIAL DISTRICT

ANDREW J AND DEBORAH  
TACOMA TRUST  
V/L  
HOLLAND, MI 49424  
P/N: 70-16-09-100-012  
ZONING: AG, AGRICULTURAL DISTRICT

**Redwood**  
APARTMENT NEIGHBORHOODS  
7007 EAST PLEASANT VALLEY ROAD  
INDEPENDENCE, OH 44131



QUINCY STREET  
HOLLAND TOWNSHIP  
OTTAWA COUNTY  
MICHIGAN

**Colliers**  
Engineering & Design


LANSING (BA)  
7050 West Saginaw Hwy., Suite 200  
Lansing, MI 48917  
Phone: 517.272.9835  
COLLIERS ENGINEERING & DESIGN  
ARCHITECTURE, LANDSCAPE ARCHITECTURE, SURVEYING CT., P.C.

SCALE: AS SHOWN DATE: 2/28/2025 DRAWN BY: JCK CHECKED BY: ICG  
PROJECT NUMBER: 24011558 DRAWING NAME: C201 NORTH SITE PLAN

SHEET TITLE: **NORTH SITE PLAN**  
SHEET NUMBER: **C201**








**SITE LEGEND:**

- PROPERTY SETBACK LINE
- PROPERTY LINE
- (A) KEY NOTE
- (B) BUILDING IDENTIFICATION
- CONCRETE PAVEMENT SECTION
- HMA STANDARD PAVEMENT SECTION
- HMA MILL AND OVERLAY PAVEMENT SECTION

- KEY NOTES:**
- A. STANDARD PAVEMENT SECTION
  - B. NOT USED.
  - C. STORMWATER DETENTION BASIN
  - D. ADA STRIPING AND SIGNAGE (TYP.)
  - E. AT-GRADE, NON-STRUCTURAL PATIO/PORCH (TYP.)
  - F. NOT USED
  - G. REGULATED WETLANDS
  - H. 4-FT CONCRETE SIDEWALK
  - I. STANDARD 16'X25' DRIVEWAY (TYP.)



**Colliers**  
Engineering & Design

www.colliersengineering.com

Formerly Known as **BERGMANN**

**811**  
PROTECT YOURSELF  
ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE

FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

REV	DATE	DRAWN BY	DESCRIPTION
1	02/28/25	ICG	SITE PLAN REVIEW

**Redwood**  
APARTMENT NEIGHBORHOODS

7007 EAST PLEASANT VALLEY ROAD  
INDEPENDENCE, OH 44131

QUINCY STREET  
HOLLAND TOWNSHIP  
OTTAWA COUNTY  
MICHIGAN

**Colliers**  
Engineering & Design

LANSING (BA)  
7050 West Saginaw Hwy., Suite 200  
Lansing, MI 48917  
Phone: 517.272.9835  
COLLIERS ENGINEERING & DESIGN, ARCHITECTURE, LANDSCAPE ARCHITECTURE, SURVEYING CT., P.C.

SCALE: AS SHOWN  
DATE: 2/28/2025  
DRAWN BY: JCK  
CHECKED BY: ICG  
PROJECT NUMBER: 24011558  
DRAWING NAME: C201 NORTH SITE PLAN

SHEET TITLE: **SOUTH SITE PLAN**

SHEET NUMBER: **C202**



PLANT LIST: (FOR SHEETS L1.0, L1.1 & L1.2)

QUANT.	SYMBOL	BOTANICAL NAME	COMMON NAME	INSTALL SIZE	MATURE SPREAD	COND.	NOTES
DECIDUOUS TREES							
10	AC FR	<i>Acer x freemanii</i> 'Armstrong'	Armstrong Maple	2.5" cal.	50' ht. 10' w.	B&B	As Shown
18	AC RU	<i>Acer rubrum</i> 'October Glory'	October Glory Maple	2.5" cal.	40' ht. 30' w.	B&B	As Shown
08	AM GR	<i>Amelanchier x. grandiflora</i> 'Autumn Brilliance'	Autumn Brilliance Serviceberry	6'-7' ht., multistem	15' ht. 15' w.	B&B	As Shown
16	BE NI	<i>Betula nigra</i>	River Birch	8'-9' ht., multistem	40' ht. 40' w.	B&B	As Shown
05	CR VI	<i>Crataegus viridis</i> 'Winter King'	Winter King Hawthorne	2" cal.	25' ht. 25' w.	B&B	As Shown
25	GL TR	<i>Gleditsia tricanthos f. inermis</i> 'Skycole'	Skyline Honeylocust	2.5" cal.	35' ht. 25' w.	B&B	As Shown
10	LI ST	<i>Liquidambar styraciflua</i>	American Sweetgum	2.5" cal.	60' ht. 20' w.	B&B	As Shown
04	MA ST	<i>Magnolia stellata</i>	Star Magnolia	6'-7' ht., multistem	15' ht. 10' w.	B&B	As Shown
06	MA PR	<i>Malus</i> 'Prairiefire'	Prairiefire Crabapple	2" cal.	15' ht. 15' w.	B&B	As Shown
26	PL AC	<i>Platanus acerifolia</i> 'Bloodgood'	Bloodgood London Planttree	2.5" cal.	55' ht. 40' w.	B&B	As Shown
05	QU AL	<i>Quercus alba</i>	White Oak	2.5" cal.	50' ht. 50' w.	B&B	As Shown
08	QU BI	<i>Quercus bicolor</i>	Swamp White Oak	2.5" cal.	50' ht. 50' w.	B&B	As Shown
11	TA DI	<i>Taxodium distichum</i>	Bald Cypress	2.5" cal.	50' ht. 20' w.	B&B	As Shown
27	UL AM	<i>Ulmus americana</i> 'Princeton'	Princeton Elm	2.5" cal.	50' ht. 30' w.	B&B	As Shown
15	ZE SE	<i>Zelkova serrata</i> 'Green Vase'	Green Vase Zelkova	2.5" cal.	60' ht. 40' w.	B&B	As Shown

EVERGREEN TREES							
32	JU VI	<i>Juniperus virginiana</i>	Eastern Red Cedar	6' ht.	40' ht. 8' w.	B&B	As Shown
12	PI AB	<i>Picea abies</i>	Norway Spruce	8' ht.	40' ht. 25' w.	B&B	As Shown
18	PI GL	<i>Picea glauca</i> 'Densata'	Black Hills Spruce	6' ht.	20' ht. 10' w.	B&B	As Shown
24	PI ST	<i>Pinus strobus</i>	Eastern White Pine	8' ht.	50' ht. 20' w.	B&B	As Shown
04	TH ST	<i>Thuja standishii x plicata</i> 'Green Giant'	Green Giant Arborvitae	6' ht.	40' ht. 12' w.	B&B	As Shown
SHRUBS							
31	CH CO	<i>Chamaecyparis p. compacta variegata</i>	Dwarf Variegated False Cypress	24" ht	2' ht. 2' w.	CONT.	As Shown
102	CO SE	<i>Cornus sericea</i>	Redwig Dogwood	36" ht	6' ht. 8' w.	CONT.	As Shown
13	JU CH	<i>Juniperus chinensis</i> 'Nicks Compact'	Nicks Compact Juniper	24" ht	2' ht. 2' w.	CONT.	As Shown
192	VI CA	<i>Viburnum carlesii</i>	Koreanspice Viburnum	24" ht	4' ht. 4' w.	CONT.	As Shown
PERENNIALS AND ORNAMENTAL GRASSES							
70	HE HR	<i>Hemerocallis</i> 'Happy Returns'	Happy Returns Daylily	#1	1' ht. 1' w.	cont.	18" o.c.
12	MI SI	<i>Miscanthus sinensis</i> 'Gracillimus'	Gracillimus Maiden Grass	#2	5' ht. 3' w.	cont.	As Shown
112	NE FA	<i>Nepeta faassenii</i> 'Walker's Low'	Walker's Low Catmint	#2	2' ht. 3' w.	cont.	As Shown
49	NE JU	<i>Nepeta faassenii</i> 'Novanepjun'	Junior Walker Catmint	#1	1' ht. 2.5' w.	cont.	As Shown

\*\*Plant substitutions may be required depending on plant availability. Any substitutions must be approved by landscape architect.

ZONING REQUIREMENTS

11.7 BUFFER REQUIREMENTS  
 BUFFER TYPE C - 1 CANOPY AND 7 SHRUBS PER EACH 40 LINEAR FEET ALONG THE PROPERTY LINE  
 BUFFER TYPE D - 1 CANOPY OR EVERGREEN TREE PER EACH 60 LINEAR FEET ALONG THE PROPERTY LINE.

SOUTH PROPERTY LINE - BUFFER D: 660 LF  
 REQUIRED: 660 / 60 = 11 TREES & 11x7 = 77 SHRUBS  
 PROVIDED: (UTILIZING REDWOOD PHASE 1 BUFFER 31 TREES & 132 SHRUBS)

EAST PROPERTY LINE - BUFFER C: 1324 LF  
 REQUIRED: 1324 / 40 = 34 & 34x7 = 238 SHRUBS  
 PROVIDED: 34 TREES & 238 SHRUBS

GENERAL NOTE

- SEE SHEET L3.0 FOR GENERAL PLANTING NOTES
- SEE SHEETS L1.3-L1.5 FOR PLANTING AT BUILDINGS
- ALL DISEASED, DAMAGED OR DEAD MATERIAL ARE TO BE REPLACED IN ACCORDANCE W/ ARTICLE 11.
- ALL SODDED LAWN AREAS TO BE IRRIGATED.

PLANTING LEGEND

- PROPOSED DECIDUOUS TREE
- PROPOSED ORNAMENTAL TREE
- PROPOSED EVERGREEN TREE
- PERENNIALS & SHRUBS



**Columbus**  
 100 Northwoods Blvd, Ste A  
 Columbus, Ohio 43235  
 p 614.255.3399

**Cincinnati**  
 20 Village Square, Floor 3  
 Cincinnati, Ohio 45246  
 p 614.360.3066

PODdesign.net

Project Name

**Redwood  
 Holland MI P2**

Holland Township, MI



Prepared For

Redwood Living  
 7510 Pleasant Valley Rd.  
 Independence, OH 44131

Project Info

Project # 25008  
 Date 04/15/2025  
 By GB, TF  
 Scale As Noted


Revisions

Sheet Title


**OVERALL SITE  
 PLAN**

Sheet #

**L1.0**




Overall Landscape Plan  
 SCALE: 1" = 50'






**GENERAL NOTE**


1. SEE SHEET L1.0 FOR PLANT LIST
2. SEE SHEET L3.0 FOR GENERAL PLANTING NOTES
3. SEE SHEETS L2.3-L2.8 FOR PLANTING AT BUILDINGS




**1 Quincy Street - West Planting Enlargement**  
SCALE: 1" = 20'




**2 Quincy St. - East Planting Enlargement**  
SCALE: 1" = 20'



**5 Monument Entry Sign (32 SF face)**  
SCALE: 1/2" = 1'-0"



**4 Mail Center Planting Enlargement**  
SCALE: 1" = 10'



**3 Pergola Planting Enlargement**  
SCALE: 1" = 10'



**Columbus**  
100 Northwoods Blvd, Ste A  
Columbus, Ohio 43235  
p 614.255.3399

**Cincinnati**  
20 Village Square, Floor 3  
Cincinnati, Ohio 45246  
p 614.360.3066

PODdesign.net

**Project Name**  
**Redwood**  
**Holland MI P2**  
Holland Township, MI



**Prepared For**  
Redwood Living  
7510 Pleasant Valley Rd.  
Independence, OH 44131

**Project Info**  
Project # 25008  
Date 04/15/2025  
By GB, TF  
Scale As Noted


**Revisions**

**Sheet Title**  
**PLANTING ENLARGEMENTS**


**Sheet #**  
**L1.1**




REVISIONS



**5 PARTIAL SIDE ELEVATION  
FORESTWOOD**  
SCALE: 3/32" = 1'-0"




**4 STANDARD SIDE ELEVATION  
MEADOWOOD**  
SCALE: 3/32" = 1'-0"




**3 HIGH PROFILE SIDE ELEVATION  
CAPEWOOD**  
SCALE: 3/32" = 1'-0"

NOTE:  
HIGH PROFILE SIDE  
ELEVATION OCCURS AT  
STREET VIEW ONLY




**2 REAR ELEVATION  
MEADOWOOD, FORESTWOOD, CAPEWOOD**  
SCALE: 3/32" = 1'-0"

NOTE:  
STONE RETURN OCCURS  
ADJACENT TO HIGH  
PROFILE SIDE ELEVATION  
ONLY



**1 FRONT ELEVATION  
MEADOWOOD, FORESTWOOD, CAPEWOOD**  
SCALE: 3/32" = 1'-0"

Extended Garage Footprint is the same with the exception of the garage being 4' longer to accommodate large vehicles



**OVERALL FLOOR PLAN  
MEADOWOOD, FORESTWOOD**  
SCALE: 3/32" = 1'-0"

**EXTERIOR FINISH MATERIAL SELECTIONS**


ITEM:	MATERIAL / STYLE:	COLOR:
DECORATIVE LOUVER	VINYL	WHITE
ASPHALT SHINGLES	DIMENSIONAL 30 YEAR LAMINATED	WEATHERED WOOD
GUTTERS AND DOWNSPOUTS	PREFINISHED ALUMINUM	WHITE
HORIZONTAL SIDING	VINYL	VARIES
SHAKES	VINYL	VARIES
CORNER TRIM	VINYL	WHITE
STONE VENEER	PRESTIGE	OHIO WHITE VEIN
OVERHEAD GARAGE DOOR	RAISED PANEL PAN STEEL	WHITE
SINGLE HUNG	VINYL	STANDARD WHITE WITH COLONIAL PATTERN FLAT GRIDS
6'-6" X 6'-8" SLIDING PATIO DOOR	VINYL	WHITE

NOTE:  
ADDRESS FOR EACH UNIT TO BE PLACED IN SUCH A POSITION AS TO BE PLAINLY VISIBLE AND LEGIBLE FROM THE STREET OR ROAD.




REVISIONS


**5 PARTIAL SIDE ELEVATION  
WILLOWOOD**  
SCALE: 3/32" = 1'-0"




**4 HIGH PROFILE SIDE ELEVATION  
WILLOWOOD**  
SCALE: 3/32" = 1'-0"




**3 STANDARD SIDE ELEVATION  
WILLOWOOD**  
SCALE: 3/32" = 1'-0"



**2 REAR ELEVATION  
WILLOWOOD**  
SCALE: 3/32" = 1'-0"



**1 FRONT ELEVATION  
WILLOWOOD**  
SCALE: 3/32" = 1'-0"



**OVERALL FLOOR PLAN  
WILLOWOOD**  
SCALE: 3/32" = 1'-0"

**EXTERIOR FINISH MATERIAL SELECTIONS**

ITEM:	MATERIAL / STYLE:	COLOR:
DECORATIVE LOUVER	VINYL	WHITE
ASPHALT SHINGLES	DIMENSIONAL 30 YEAR LAMINATED	WEATHERED WOOD
GUTTERS AND DOWNSPOUTS	PREFINISHED ALUMINUM	WHITE
HORIZONTAL SIDING	VINYL	VARIES
SHAKES	VINYL	VARIES
CORNER TRIM	VINYL	WHITE
STONE VENEER	PRESTIGE	OHIO WHITE VEIN
OVERHEAD GARAGE DOOR	RAISED PANEL PAN STEEL	WHITE
SINGLE HUNG	VINYL	STANDARD WHITE WITH COLONIAL PATTERN FLAT GRIDS
6'-6" X 6'-8" SLIDING PATIO DOOR	VINYL	WHITE

NOTE:  
ADDRESS FOR EACH UNIT TO BE PLACED IN SUCH A POSITION AS TO BE PLAINLY VISIBLE AND LEGIBLE FROM THE STREET OR ROAD.

phone 330.666.5770  
fax 330.666.8812  
3660 Embassy Parkway  
Fairlawn, OH 44333  
**MPG**  
MANN • PARSONS • GRAY  
ARCHITECTS  
mpg-architects.com

**BUILDING FLOOR PLAN AND ELEVATIONS**

DATE: JANUARY 8, 2021

PROJECT #: 9920


**REDWOOD STANDARDS**




**A1.3**



REVISIONS




**5 PARTIAL SIDE ELEVATION**  
SCALE: 3/32" = 1'-0"  
**HAYDENWOOD**




**4 HIGH PROFILE SIDE ELEVATION**  
SCALE: 3/32" = 1'-0"  
**HAYDENWOOD**

**NOTE:**  
HIGH PROFILE SIDE  
ELEVATION OCCURS AT  
STREET VIEW ONLY


**3 STANDARD SIDE ELEVATION**  
SCALE: 3/32" = 1'-0"  
**HAYDENWOOD**



**2 REAR ELEVATION**  
SCALE: 3/32" = 1'-0"  
**HAYDENWOOD**



**1 FRONT ELEVATION**  
SCALE: 3/32" = 1'-0"  
**HAYDENWOOD**



**OVERALL FLOOR PLAN**  
SCALE: 3/32" = 1'-0"  
**HAYDENWOOD**

**EXTERIOR FINISH MATERIAL SELECTIONS**

ITEM:	MATERIAL / STYLE:	COLOR:
DECORATIVE LOUVER	VINYL	WHITE
ASPHALT SHINGLES	DIMENSIONAL 30 YEAR LAMINATED	WEATHERED WOOD
GUTTERS AND DOWNSPOUTS	PREFINISHED ALUMINUM	WHITE
HORIZONTAL SIDING	VINYL	VARIES
SHAKES	VINYL	VARIES
CORNER TRIM	VINYL	WHITE
STONE VENEER	PRESTIGE	OHIO WHITE VEIN
OVERHEAD GARAGE DOOR	RAISED PANEL PAN STEEL	WHITE
SINGLE HUNG	VINYL	STANDARD WHITE WITH COLONIAL PATTERN FLAT GRIDS

**NOTE:**  
ADDRESS FOR EACH UNIT TO BE PLACED IN SUCH A POSITION AS TO BE PLAINLY VISIBLE AND LEGIBLE FROM THE STREET OR ROAD.

**BUILDING FLOOR PLAN AND ELEVATIONS**

DATE: JANUARY 8, 2021

PROJECT #: 9920

**REDWOOD STANDARDS**




phone 330.666.5770  
fax 330.666.8812  
3660 Embassy Parkway  
Fairlawn, OH 44333  
**MPG ARCHITECTS**  
MANN • PARSONS • GRAY  
mpg-architects.com




REVISIONS

phone 330.666.5770  
fax 330.666.8812  
3660 Embassy Parkway  
Fairlawn, OH 44333  
**MPG**  
MANN • PARSONS • GRAY  
ARCHITECTS  
mpg-architects.com

**BUILDING FLOOR PLAN AND ELEVATIONS**  
DATE: JANUARY 8, 2021  
PROJECT #: 9920  
**REDWOOD STANDARDS**  
Redwood  
APARTMENT NEIGHBORHOODS




**5 PARTIAL SIDE ELEVATION**  
SCALE: 3/32" = 1'-0"  
**HAYDENWOOD**




**4 STANDARD SIDE ELEVATION**  
SCALE: 3/32" = 1'-0"  
**HAYDENWOOD**

NOTE:  
HIGH PROFILE SIDE  
ELEVATION OCCURS AT  
STREET VIEW ONLY


**3 HIGH PROFILE SIDE ELEVATION**  
SCALE: 3/32" = 1'-0"  
**HAYDENWOOD SUNROOM**



**2 REAR ELEVATION**  
SCALE: 3/32" = 1'-0"  
**HAYDENWOOD, HAYDENWOOD SUNROOM**



**1 FRONT ELEVATION**  
SCALE: 3/32" = 1'-0"  
**HAYDENWOOD, HAYDENWOOD SUNROOM**



**OVERALL FLOOR PLAN**  
SCALE: 3/32" = 1'-0"  
**HAYDENWOOD, HAYDENWOOD SUNROOM**

**EXTERIOR FINISH MATERIAL SELECTIONS**

ITEM:	MATERIAL / STYLE:	COLOR:
DECORATIVE LOUVER	VINYL	WHITE
ASPHALT SHINGLES	DIMENSIONAL 30 YEAR LAMINATED	WEATHERED WOOD
GUTTERS AND DOWNSPOUTS	PREFINISHED ALUMINUM	WHITE
HORIZONTAL SIDING	VINYL	VARIES
SHAKES	VINYL	VARIES
CORNER TRIM	VINYL	WHITE
STONE VENEER	PRESTIGE	OHIO WHITE VEIN
OVERHEAD GARAGE DOOR	RAISED PANEL PAN STEEL	WHITE
SINGLE HUNG	VINYL	STANDARD WHITE WITH COLONIAL PATTERN FLAT GRIDS


NOTE:  
ADDRESS FOR EACH UNIT TO BE PLACED IN SUCH A POSITION AS TO BE PLAINLY VISIBLE AND LEGIBLE FROM THE STREET OR ROAD.




REVISIONS

phone 330.666.5770  
fax 330.666.8812  
3660 Embassy Parkway  
Fairlawn, OH 44333  
**MPG ARCHITECTS**  
MANN • PARSONS • GRAY  
mpg-architects.com

**BUILDING FLOOR PLAN AND ELEVATIONS**  
DATE: JANUARY 8, 2021  
PROJECT #: 9920  
**REDWOOD STANDARDS**  
Redwood  
APARTMENT NEIGHBORHOODS




**5 PARTIAL SIDE ELEVATION**  
SCALE: 3/32" = 1'-0"  
**BREEZEWOOD**




**4 STANDARD SIDE ELEVATION**  
SCALE: 3/32" = 1'-0"  
**BREEZEWOOD**

NOTE:  
HIGH PROFILE SIDE  
ELEVATION OCCURS AT  
STREET VIEW ONLY




**3 HIGH PROFILE SIDE ELEVATION**  
SCALE: 3/32" = 1'-0"  
**BREEZEWOOD**




**2 REAR ELEVATION**  
SCALE: 3/32" = 1'-0"  
**BREEZEWOOD**

NOTE:  
STONE RETURN OCCURS  
ADJACENT TO HIGH  
PROFILE SIDE ELEVATION  
ONLY



**1 FRONT ELEVATION**  
SCALE: 3/32" = 1'-0"  
**BREEZEWOOD**



**OVERALL FLOOR PLAN**  
SCALE: 3/32" = 1'-0"  
**BREEZEWOOD**

**EXTERIOR FINISH MATERIAL SELECTIONS**

ITEM:	MATERIAL / STYLE:	COLOR:
DECORATIVE LOUVER	VINYL	WHITE
ASPHALT SHINGLES	DIMENSIONAL 30 YEAR LAMINATED	WEATHERED WOOD
GUTTERS AND DOWNSPOUTS	PREFINISHED ALUMINUM	WHITE
HORIZONTAL SIDING	VINYL	VARIES
SHAKES	VINYL	VARIES
CORNER TRIM	VINYL	WHITE
STONE VENEER	PRESTIGE	OHIO WHITE VEIN
OVERHEAD GARAGE DOOR	RAISED PANEL PAN STEEL	WHITE
SINGLE HUNG	VINYL	STANDARD WHITE WITH COLONIAL PATTERN FLAT GRIDS

NOTE:  
ADDRESS FOR EACH UNIT TO BE PLACED IN SUCH A POSITION AS TO BE PLAINLY VISIBLE AND LEGIBLE FROM THE STREET OR ROAD.



REVISIONS

phone 330.666.5770  
fax 330.666.8812  
3660 Embassy Parkway  
Fairlawn, OH 44333

**MPG**  
MANN • PARSONS • GRAY  
ARCHITECTS  
mpg-architects.com

**BUILDING FLOOR PLAN AND ELEVATIONS**


DATE: JANUARY 8, 2021

PROJECT #: 9920


**REDWOOD STANDARDS**

**Redwood**  
APARTMENT NEIGHBORHOODS


**A1.7**



**5 PARTIAL SIDE ELEVATION**  
BREEZEWOOD  
SCALE: 3/32" = 1'-0"




**4 STANDARD SIDE ELEVATION**  
BREEZEWOOD  
SCALE: 3/32" = 1'-0"




**3 HIGH PROFILE SIDE ELEVATION**  
BREEZEWOOD SUNROOM  
SCALE: 3/32" = 1'-0"

NOTE:  
HIGH PROFILE SIDE  
ELEVATION OCCURS AT  
STREET VIEW ONLY


NOTE:  
STONE RETURN OCCURS  
ADJACENT TO HIGH  
PROFILE SIDE ELEVATION  
ONLY



**2 REAR ELEVATION**  
BREEZEWOOD, BREEZEWOOD SUNROOM  
SCALE: 3/32" = 1'-0"



**1 FRONT ELEVATION**  
BREEZEWOOD, BREEZEWOOD SUNROOM  
SCALE: 3/32" = 1'-0"




**OVERALL FLOOR PLAN**  
BREEZEWOOD, BREEZEWOOD SUNROOM  
SCALE: 3/32" = 1'-0"

**EXTERIOR FINISH MATERIAL SELECTIONS**

ITEM:	MATERIAL / STYLE:	COLOR:
DECORATIVE LOUVER	VINYL	WHITE
ASPHALT SHINGLES	DIMENSIONAL 30 YEAR LAMINATED	WEATHERED WOOD
GUTTERS AND DOWNSPOUTS	PREFINISHED ALUMINUM	WHITE
HORIZONTAL SIDING	VINYL	VARIES
SHAKES	VINYL	VARIES
CORNER TRIM	VINYL	WHITE
STONE VENEER	PRESTIGE	OHIO WHITE VEIN
OVERHEAD GARAGE DOOR	RAISED PANEL PAN STEEL	WHITE
SINGLE HUNG	VINYL	STANDARD WHITE WITH COLONIAL PATTERN FLAT GRIDS

NOTE:  
ADDRESS FOR EACH UNIT TO BE PLACED IN SUCH A POSITION AS TO BE PLAINLY VISIBLE AND LEGIBLE FROM THE STREET OR ROAD.





**1 PLAN** REDWOOD 1-BEDROOM  
 1/4" = 1'-0"  
 TOTAL SF: 1,166 SF  
 LIVEABLE SF: 896 SF  
 GARAGE SF: 270 SF



**PRELIMINARY**

**NOTE!!!**  
 THIS DRAWING IS NOT  
 FOR CONSTRUCTION

DATE PRINTED  
 JANUARY 24, 2024

REVISIONS



**MPG**  
 MANN - PARSONS - GRAY  
 ARCHITECTS  
 330.666.5770

PRELIMINARY ONE BED LAYOUT

REDWOOD 1-BEDROOM




7007 E. PLEASANT VALLEY RD.  
 INDEPENDENCE, OHIO 44131

PROJECT #: 01723

**PSK01**



**EXTERIOR MATERIAL LEGEND**


-  PREMIUM VINYL LAP SIDING
-  PREMIUM VINYL SHAKE SIDING
-  STONE VENEER

**PRELIMINARY**


**NOTE!!!  
THIS DRAWING IS NOT  
FOR CONSTRUCTION**

DATE PRINTED  
JANUARY 24, 2024


REVISIONS




**4** ELEVATION LEFT SIDE - OPTION A  
1/8" = 1'-0"



**3** ELEVATION RIGHT SIDE - OPTION A  
1/8" = 1'-0"



**2** ELEVATION REAR - OPTION A  
1/8" = 1'-0"



**1** ELEVATION FRONT - OPTION A  
1/8" = 1'-0"



**MPG**  
MANN - PARSONS - GRAY  
ARCHITECTS  
330.666.5770

EXTERIOR ELEVATIONS - OPTION A

REDWOOD 1-BEDROOM

7007 E. PLEASANT VALLEY RD.  
INDEPENDENCE, OHIO 44131  
PROJECT #: 01723

PSK02a